




Serie	Spannung Pri. (V)	Spannung Sek. (V)	Strom Sek. (A)	Leistung (VA)	Abmessungen AxBxC (mm)	Gewicht (Kg)	Art. nr.
<b>230-250/115 V</b>							
<del>LF60B-2115-GY</del>	230	115	0,3	35	66x113x60	1,1	<del>3-054-060616</del>
<del>LF66B-22115-GY</del>	230-250	115	0,5	60	73x133x61	1,5	<del>3-054-066616</del>
<del>LF84B-22115-GY</del>	230-250	115	1,3	150	92x150x87	2,5	<del>3-054-084616</del>
<del>LF96C-22115-GY</del>	230-250	115	2,3	260	106x173x98	4,2	<del>3-054-096816</del>
<del>LF120C-22115-GY</del>	230-250	115	4,4	500	130x202x115	8	<del>3-054-120616</del>
<del>LF150C-22115-GY</del>	230-250	115	8,6	1000	162x235x140	15,3	<del>3-054-150616</del>
<b>230-250/230 V</b>							
LF78A-22230-GY	230-250	230	0,3	60	83x160x78	1,4	3-054-078731
LF84B-22230-GY	230-250	230	0,7	150	92x182x87	2,5	3-054-084731
LF96C-22230-GY	230-250	230	1,1	260	106x205x98	4,2	3-054-096931
LF120C-22230-GY	230-250	230	2,2	500	130x254x115	8	3-054-120931
LF150C-22230-GY	230-250	230	4,3	1000	162x287x140	15	3-054-150931
<b>230-250/115 V</b>							
LF66B-22115-GS	230-250	115	0,5	60	73x124x61	1,3	3-054-066115
LF84A-22115-GS	230-250	115	0,9	105	92x114x83	1,8	3-054-084115
LF84B-22115-GS	230-250	115	1,3	150	92x130x87	2,4	3-054-084615
LF96C-22115-GS	230-250	115	2,3	260	106x153x98	4,2	3-054-096115
LF96CH-22115-GS	230-250	115	2,6	300	106x153x98	4,2	3-054-096615
LF120C-22115-GS	230-250	115	4,3	500	130x202x115	8	3-054-120115
LF150B-22115-GS	230-250	115	6,5	750	162x235x140	12,6	3-054-150115
LF150C-22115-GS	230-250	115	8,7	1000	162x235x140	15,2	3-054-156115
<b>230-250/230 V</b>							
LF66B-22230-GS	230-250	230	0,25	60	73x124x61	1,3	3-054-066230
LF84A-22230-GS	230-250	230	0,45	105	92x114x83	1,8	3-054-084230
LF84B-22230-GS	230-250	230	0,65	150	92x130x87	2,4	3-054-084623
LF96C-22230-GS	230-250	230	1,13	260	106x153x98	4,2	3-054-096230
LF96CH-22230-GS	230-250	230	1,3	300	106x153x98	4,2	3-054-096623
LF120C-22230-GS	230-250	230	2,17	500	130x202x115	8	3-054-120230
LF150B-22230-GS	230-250	230	3,26	750	162x235x140	12,6	3-054-150230
LF150C-22230-GS	230-250	230	4,3	1000	162x235x140	15,2	3-054-156230
<b>400-440/230 V</b>							
LF66B-44230-GS	400-440	230	0,25	60	73x124x61	1,3	3-054-066823
LF84A-44230-GS	400-440	230	0,45	105	92x114x83	1,8	3-054-084423
LF84B-44230-GS	400-440	230	0,65	150	92x130x87	2,4	3-054-084223
LF96C-44230-GS	400-440	230	1,13	260	106x153x98	4,2	3-054-096423
LF96CH-44230-GS	400-440	230	1,3	300	106x153x98	4,2	3-054-096223
LF120C-44230-GS	400-440	230	2,17	500	130x202x115	8	3-054-124230
LF150B-44230-GS	400-440	230	3,2	750	162x235x140	12,6	3-054-150400
LF150C-44230-GS	400-440	230	4,35	1000	162x235x140	15,2	3-054-157230

• Informationen über Verluste und Kurzschlußströme siehe bitte Seite I-18 & I-19.


# Abmessungen LF-GS transformator




**LF78A**




**LF60**




**LF84A**




**LF66A / LF66B**




**LF84B**




### LF96B




### LF120C



### LF96C2 / LF96CH2



### LF150B / LF150C / LF150CH



### LF96C / LF96CH

